A SUBSIDIARY OF
NEWCON GROUP

TC-17937

Scan to check Scope of Accreditation

Report Authentication

newconlab@gmail.com
+91-9810430345
www.newconlab.com

TEST REPORT

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD.	**ULR No.** : TC1793726000000392F
Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149	**Report No.** : TR-26-NCL/024-180826/A
	Issue Date : 24/08/2026
	Doc No. : NCL/QSP/QF/7.8/01
	Page No.: 1 of 26
:	

SAMPLING DETAILS

Product Group	: Food & Agricultural Products		
Sample Name	: Jhangora (Samake Rice)		
Analysis Start Date	: 18/08/2026	Analysis End Date	: 23/08/2026
Date of Sampling	: 18/08/2026	Sample ID No.	: TR-26-NCL/024-180826
Sampling Done By	: Customer	Sample Receipt Date	: 18/08/2026
Sample Description	: Jhangora (Samake Rice)		
Sampling Location	: --		
Batch No.	: NA	Environmental Condition	: 27±2°C
Mfg. Date	: Not specified	Exp. Date	: Not specified
Sampling Protocol	: --	Sample Quantity	: 250g
Packing Condition	: Sealed	Packing	: Poly Pack

TEST RESULT

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
Discipline : Chemical					
Nutritional parameters					
1	Fat	g/100g	IS 15271-2003	0.98	Not Specified
2	Protein(N*6.25)	g/100g	IS 7219:1973	9.76	Not Specified
3	Carbohydrate	g/100g	IS 1656 : 1997	77.48	Not Specified
Chemical Analysis					
4	Moisture	g/100g	FSSAI 03.006:2023	11.48	NMT 13.0
5	Extraneous Matter	g/100g	IS 2813: 1995	Nil	Not more than 1.0 per cent by mass , of which not more than 0.25 per cent by mass shall be mineral matter and not more than 0.10 per cent by mass shall be

FOR NEWCON CONSULTANTS & LABORATORIES

Rajeev Kumar Singh
Sr. Analyst
Checked by

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 2 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
5					impurities of animal origin.
6	Other edible grains	g/100g	IS 2813: 1995	Nil	NMT 2.0
7	Grains with serious defects.	g/100g	FSSAI 03.003:2023	Nil	NMT 1.0
8	Grains with slight defects	g/100g	FSSAI 03.003:2023	Nil	NMT 7.0
9	Weevilled Grains	g/100g	IS 2813: 1995	Nil	NMT 4.0
10	Immature and Shrivelled grain	g/100g	FSSAI 03.003:2023	Nil	NMT 5.0
Contaminants, Toxins And Residues					
Heavy Metals					
11	Lead	mg/kg	NCL/STP/INS/056 Issue No. : 01 Issue Date : 28 Feb : 2025	0.09	NMT 0.2
12	Copper	mg/kg	NCL/STP/INS/056 Issue No. : 01 Issue Date : 28 Feb : 2025	2.38	NMT 30
13	Arsenic	mg/kg	NCL/STP/INS/056 Issue No. : 01 Issue Date : 28 Feb : 2025	BLQ(LOQ-0.05)	NMT 1.1
14	Tin	mg/kg	NCL/STP/INS/056 Issue No. : 01 Issue Date : 28 Feb : 2025	BLQ(LOQ-0.05)	NMT 250
15	Cadmium	mg/kg	NCL/STP/INS/056 Issue No. : 01 Issue Date : 28 Feb : 2025	BLQ(LOQ-0.05)	NMT 0.1
16	Mercury	mg/kg	NCL/STP/INS/056 Issue No. : 01 Issue Date : 28 Feb : 2025	BLQ(LOQ-0.05)	NMT 1.0
17	Hydrocyanic acid	mg/kg	NCL/STP/CHEM/005 Issue No. : 01 Issue Date : 28 MAR : 2025	BLQ(LOQ-1.0)	Not Specified
Mycotoxins					
18	Total Aflatoxin (B1, B2, G1 and G2)	µg/kg	NCL/STP/INS/120 Issue No. : 01	BLQ(LOQ-4.0)	NMT 15.0

Rajeev Kumar Singh
Sr. Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 3 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
18			Issue Date : 28 MAR : 2025		
19	Aflatoxin B1	µg/kg	NCL/STP/INS/120 Issue No. : 01 Issue Date : 28 MAR : 2025	BLQ(LOQ-1.0)	NMT 10.0
20	Ochratoxin A	µg/kg	NCL/STP/INS/140 Issue No. : 01 Issue Date : 28 MAR : 2025	BLQ(LOQ-1.0)	NMT 5.0
21	Deoxynivalenol	µg/kg	NCL/STP/INS/138 Issue No. : 01 Issue Date : 28 MAR : 2025	BLQ(LOQ-10.0)	NMT 1000
Other Contaminants					
22	Melamine	mg/kg	NCL/STP/INS/132 Issue No. : 01 Issue Date : 28 MAR : 2025	BLQ(LOQ-1.0)	NMT 2.5
Pesticide Residues					
23	1-Methylcyclopropene	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
24	1-Naphthylacetic acid (NAA)	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
25	2,4-D	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 2.0
26	6-Benzyladenine	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
27	Abamectin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
28	Acephate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
29	Acetamiprid	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES
Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 4 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
30	Acifluorfen-sodium	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
31	Afidopyropen	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
32	Alachlor	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
33	Ametoctradin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
34	Ametryn	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
35	Amisulbrom	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
36	Anilofos	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
37	Atrazine	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
38	Azimsulfuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
39	Azoxystrobin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.2
40	Benalaxyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
41	Benfuracarb	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
42	Bensulfuron-methyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 5 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
43	Bentazone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
44	Benzpyrimoxan	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
45	Bifenazate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
46	Bifenthrin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
47	Bispyribac-sodium	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
48	Bitertanol	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.05
49	Boscalid	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
50	Broflanilide	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
51	Bupirimate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
52	Buprofezin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
53	Butachlor	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
54	Captan	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
55	Carbaryl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 2.0

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 6 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
56	Carbendazim	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.05
57	Carbofuran	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.03
58	Carbosulfan	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
59	Carfentrazone-ethyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
60	Carpropamid	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
61	Cartap hydrochloride	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
62	Chlorantraniliprole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
63	Chlorfenapyr	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
64	Chlorfluazuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
65	Chlorimuron-ethyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.05
66	Chlormequat chloride (CCC)	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
67	Chlorothalonil	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
68	Chlorpropham	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 7 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
69	Chlorpyrifos	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
70	Chromafenozide	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
71	Cinmethylin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
72	Clodinafop-propargyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.1
73	Clomazone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
74	Chlothianidin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
75	Cyantraniliprole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
76	Cyazofamid	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
77	Cyclanilide	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
78	Cyclaniliprole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
79	Cyenopyrafen	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
80	Cyflufenamid	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
81	Cyflumetofen	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 8 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
82	Cyfluthrin/beta cyfluthrin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
83	Cyhalofop-butyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
84	Cyhalothrin (includes lambda- cyhalothrin)	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
85	Cymoxanil	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
86	Cypermethrin (including alpha- cypermethrin and zeta- cypermethrin)	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
87	Cyproconazole (sum of isomers)	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
88	Deltamethrin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.2
89	Diafenthiuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
90	Dicamba	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
91	Dichlorvos	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.25
92	Diclofop	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.1
93	Diclosulam	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
94	Dicofol	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

FOR NEWCON CONSULTANTS & LABORATORIES

Rajeev Kumar Singh
Sr. Analyst

Checked by

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang,. Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 9 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
95	Difenoconazole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.02
96	Diflubenzuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
97	Dimethenamid-P	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
98	Dimethoate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
99	Dimethomorph	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
100	Dinocap	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
101	Dinotefuran	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
102	Dithianon	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
103	Dithiocarbamates (maneb, mancozeb, metiram, thiram and ziram)	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.05
104	Diuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
105	Dodine	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
106	Edifenphos	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
107	Emamectin benzoate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 10 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
108	Epoxiconazole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
109	Ethaboxam	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
110	Ethephon	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
111	Ethion	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
112	Ethoxysulfuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
113	Etofenprox	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
114	Etoxazole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
115	Famoxadone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
116	Fenamidone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
117	Fenarimol	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
118	Fenazaquin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
119	Fenobucarb (BPMC)	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
120	Fenoxanil	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 11 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
121	Fenoxaprop-p-ethyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.02
122	Fenpropathrin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
123	Fenpyroximate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
124	Fenvalerate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
125	Fipronil	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
126	Flonicamid	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
127	Florasulam	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
128	Florpyrauxifen-benzyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
129	Fluazaindolizine	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
130	Fluazifop-p-butyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
131	Flubendiamide	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
132	Flucetosulfuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
133	Fluchloralin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 12 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
134	Fluensulfone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
135	Flufenacet	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
136	Flumioxazin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
137	Fluopicolide	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
138	Fluopyram	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
139	Flupyradifurone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
140	Flupyrimin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
141	Flurochloridone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
142	Fluroxypyr-meptyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
143	Flusilazole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
144	Fluthiacet-methyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
145	Fluvalinate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
146	Fluxametamide	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 13 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
147	Fluxapyroxad	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
148	Fomesafen	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
149	Forchlorfenuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
150	Fosetyl-Al	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
151	Glufosinate-Ammonium	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
152	Glyphosate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
153	Halauxifen-methyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
154	Halosulfuron-methyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
155	Haloxyfop-R methyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
156	Hexaconazole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
157	Hexazinone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
158	Hexythiazox	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
159	Hydrogen Cyanamide	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 14 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
160	Imazamox	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
161	Imazethapyr	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
162	Imidacloprid	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
163	Indaziflam	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
164	Indoxacarb	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
165	Iodosulfuron-methyl sodium	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
166	Iprobenfos (Kitazin)	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
167	Iprodione	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
168	Iprovalicarb	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
169	Isocycloseram	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
170	Isoprothiolane	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
171	Isoproturon	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.1
172	Kasugamycin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149	ULR No. : TC1793726000000392F Report No. : TR-26-NCL/024-180826/A Issue Date : 24/08/2026 Doc No. : NCL/QSP/QF/7.8/01 Page No.: 15 of 26

:

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
173	Kresoxim-methyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.05
174	Linuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
175	Lufenuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
176	Malathion	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 1.0
177	Mandipropamid	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
178	Mefentrifluconazole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
179	Mepiquat chloride	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
180	Meptyldinocap	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
181	Mesosulfuron-methyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
182	Mesotrione	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
183	Metaflumizone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
184	Metalaxyl and Metalaxyl-M	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
185	Metamifop	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without written approval of Newcon Consultants & Laboratories. Subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 16 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
186	Metamitron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
187	Methabenzthiazuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.5
188	Methomyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
189	Methoxyfenozide	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
190	Methyl Chlorophenoxy Acetic Acid (MCPA)	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.2
191	Metolachlor	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
192	Metrafenone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
193	Metribuzin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.03
194	Metsulfuron-methyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.1
195	Milbemectin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
196	Monocrotophos	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
197	Myclobutanil	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
198	Nitrobenzene	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 17 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
199	Novaluron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
200	Orthosulfamuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
201	Oxadiargyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
202	Oxadiazon	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
203	Oxathiapiprolin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
204	Oxydemeton-methyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.02
205	Oxyfluorfen	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
206	Paclobutrazol	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
207	Paraquat	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
208	Parathion-methyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
209	Penconazole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
210	Pencycuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
211	Pendimethalin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.05

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 18 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
212	Penoxsulam	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
213	Permethrin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
214	Phenthoate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
215	Phorate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
216	Phosalone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
217	Phosmet	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
218	Picoxystrobin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
219	Pinoxaden	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.7
220	Pirimiphos-methyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 1.0
221	Pretilachlor	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
222	Prochloraz	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
223	Profenofos	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
224	Prohexadione calcium	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 19 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
225	Propamocarb	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
226	Propanil	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
227	Propaquizafop	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
228	Propargite	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
229	Propiconazole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
230	Propineb	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
231	Pymetrozine	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
232	Pyraclostrobin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
233	Pyrazosulfuron-ethyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
234	Pyridaben	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
235	Pyridalyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
236	Pyrifluquinazon	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
237	Pyriftalid	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

FOR NEWCON CONSULTANTS & LABORATORIES

Rajeev Kumar Singh
Sr. Analyst
Checked by

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang,. Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7..8/01 Page No.: 20 of 26

:

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
238	Pyriproxyfen	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
239	Pyrithiobac-sodium	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
240	Pyroxasulfone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
241	Quinalphos	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
242	Quinclorac	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
243	Quizalofop-ethyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
244	Quizalofop-P-tefuryl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
245	Saflufenacil	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
246	Sodium para nitro phenolate (Sodium 4-nitrophenolate)	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
247	Spinetoram	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
248	Spinosad	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
249	Spiromesifen	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
250	Spirotetramat	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without the written permission of the laboratory. Subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 21 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
251	Sulfentrazone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
252	Sulfosulfuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.02
253	Sulfoxaflor	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
254	Tebuconazole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.15
255	Tembotrione	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
256	Tetraconazole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
257	Tetraniliprole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
258	Thiacloprid	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
259	Thiamethoxam	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.05
260	Thifluzamide	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
261	Thiocyclam hydrogen oxalate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
262	Thiodicarb	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
263	Thiometon	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

nowconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 22 of 26

:

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
264	Thiophanate-methyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.03
265	Tolfenpyrad	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
266	Topramezone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
267	Triadimefon	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.5
268	Triafamone	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
269	Triallate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.05
270	Triasulfuron	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
271	Triazophos	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
272	Trichlorfon	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
273	Tricyclazole	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
274	Tridemorph	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.1
275	Trifloxystrobin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
276	Trifloxysulfuron-sodium	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 23 of 26
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
277	Triflumezopyrim	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
278	Trifluralin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.05
279	Validamycin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
280	Valifenalate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
281	Aldicarb	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
282	Aldrin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
283	dieldrin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
284	Chlordane-CIS	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
285	Chlordane-trans	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
286	Heptachlor	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
287	Heptachlor exo-epoxide	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
288	Heptachlor endo-epoxide	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
289	Lindane Gamma-HCH	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 24 of 26

:

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
290	Alpha- Endosulfan	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
291	Beta -Endosulfan	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
292	Endosulfan sulphate	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
293	Carbofuran	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
294	Methomyl	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
295	Phosphamidon	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
296	Captafol	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
297	Ferbam	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
298	Formothion	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
299	Simazine	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
300	Diazinon	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
301	2,4-DDT	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
302	4,4-DDT	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Lab Head

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 25 of 26

:

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
303	2,4-DDE	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
304	4,4-DDE	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
305	2,4-DDD	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
306	4,4-DDD	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
307	Fenitrothion	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
308	Fenthion	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
309	Methyl Parathion	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
310	Ethyl Parathion	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.01
311	Trifloxystrobin	mg/kg	NCL/STP/INS/028 Issue No. : 01 Issue Date : 17 JAN : 2025	BLQ(LOQ-0.01)	NMT 0.2
Discipline : Microbiological					
Microbiological Parameters					
312	Total Plate Count (TPC)	cfu/g	IS 5402(Part-1):2021	350	Not Specified
313	Yeast & Mould	cfu/g	IS 5403:1999	<10	Not Specified
314	Escherichia coli (E.coli)	cfu/g	IS 5887(Part-1):1976	<10	Not Specified
315	Salmonella spp.	per 25g	IS 5887(Part-3/Sec-1):2020	Absent	Not Specified
316	Staphylococcus aureus	cfu/g	IS 5887(part-8/Sec-1):2023	<10	Not Specified

Rajeev Kumar Singh
Sr Analyst
Checked by

NEWCON CONSULTANTS & LABORATORIES GHAZIABAD

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000392F **Report No.** : TR-26-NCL/024-180826/A **Issue Date** : 24/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 26 of 26
:	

Remarks/Note: BLQ- Below Limit of Quantification, LOQ-Limit of Quantification.
The test sample conforms to the requirements of FSSR, 2011 with respect to the above-tested parameters only.

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

End of Report

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

A SUBSIDIARY OF
NEWCON GROUP

newconlab@gmail.com
+91-9810430345
www.newconlab.com

Report Authentication

TEST REPORT

ISSUE TO
M/S VIBGYOR SUNRISE INDIA PVT. LTD.
Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149

Report No. : TR-26-NCL/024-180826/B
Issue Date : 24/08/2026
Doc No. : NCL/QSP/QF/7.8/01
Page No.: 1 of 1

:

SAMPLING DETAILS

Product Group	: Food & Agricultural Products		
Sample Name	: Jhangora (Samake Rice)		
Analysis Start Date	: 18/08/2026	Analysis End Date	: 23/08/2026
Date of Sampling	: 18/08/2026	Sample ID No.	: TR-26-NCL/024-180826
Sampling Done By	: Customer	Sample Receipt Date	: 18/08/2026
Sample Description	: Jhangora (Samake Rice)		
Sampling Location	: --		
Batch No.	: NA	Environmental Condition	: 27±2°C
Mfg. Date	: Not specified	Exp. Date	: Not specified
Sampling Protocol	: --	Sample Quantity	: 250g
Packing Condition	: Sealed	Packing	: Poly Pack

TEST RESULT

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
1	Energy	Kcal/100g	IS 8220 : 1976	357.78	Not Specified
2	Uric acid	mg/kg	NCL/STP/INS/219	BLQ(LOQ-10.0)	NMT 100
3	Methyl Mercury (Calculated as the element)	mg/kg	NCL/STP/INS/056 Issue No. : 01 Issue Date : 28 Feb : 2025	BLQ(LOQ-0.05)	NMT 0.25
Naturally Occuring Toxic Substances (Nots)					
4	Agaric acid	mg/kg	NCL/STP/INS/178 Issue No. : 01 Issue Date : 22 FEB : 2025	BLQ(LOQ-1.0)	Not Specified
5	Hypericine	mg/kg	NCL/STP/INS/116 Issue No. : 01 Issue Date : 24 JAN : 2025	BLQ(LOQ-0.5)	Not Specified
6	Saffrole	mg/kg	NCL/STP/INS/175 Issue No. : 01 Issue Date :24 JAN : 2025	BLQ(LOQ-0.01)	Not Specified

Remarks/Note: BLQ- Below Limit of Quantification, LOQ-Limit of Quantification.
The test sample conforms to the requirements of FSSR, 2011 with respect to the above-tested parameters only.

Rajeev Kumar Singh
Checked by Analyst

FOR NEWCON CONSULTANTS & LABORATORIES
Authorized Signatory

End of Report

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.