A SUBSIDIARY OF
NEWCON GROUP

TC-17937

Scan to check Scope of Accreditation

Report Authentication

newconlab@gmail.com
+91-9810430345
www.newconlab.com

TEST REPORT

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 1 of 25
:	

SAMPLING DETAILS

Product Group	: Food & Agricultural Products		
Sample Name	: Dhaniya Powder		
Analysis Start Date	: 18/08/2026	Analysis End Date	: 24/08/2026
Date of Sampling	: 18/08/2026	Sample ID No.	: TR-26-NCL/023-180826
Sampling Done By	: Customer	Sample Receipt Date	: 18/08/2026
Sample Description	: Dhaniya Powder		
Sampling Location	: --		
Batch No.	: NA	Environmental Condition	: 27±2°C
Mfg. Date	: Not specified	Exp. Date	: Not specified
Sampling Protocol	: --	Sample Quantity	: 250g
Packing Condition	: Sealed	Packing	: Poly Pack

TEST RESULT

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
Discipline : Chemical					
Nutritional Parameters					
1	Fat	g/100g	IS 15271:2003	13.43	Not Specified
2	Protein (N*6.25)	g/100g	IS 7219:1973	12.30	Not Specified
3	Carbohydrate	g/100g	IS 1656:1997	62.13	Not Specified
Chemical Analysis					
4	Moisture	g/100g	IS 1797 :2017	6.70	Max 9.0
5	Volatile oil content on dry basis	g/100g	IS 1797 :2017	0.61	Min 0.09
6	Total ash on dry basis	g/100g	IS 1797 :2017	5.44	Max 7.0
7	Ash insoluble in dilute HCl on dry basis.	g/100g	IS 1797 :2017	0.37	Max 1.5
Contaminants, Toxins And Residues					
Heavy Metals					

Rajeev Kumar Singh
Sr. Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 2 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
8	Lead	mg/kg	NCL/STP/INS/061 Issue No. : 01 Issue Date : 28 FEB : 2025	0.12	NMT 2.5
9	Copper	mg/kg	NCL/STP/INS/061 Issue No. : 01 Issue Date : 28 FEB : 2025	10.9	NMT 30.0
10	Arsenic	mg/kg	NCL/STP/INS/061 Issue No. : 01 Issue Date : 28 FEB : 2025	BLQ(LOQ-0.05)	NMT 1.1
11	Tin	mg/kg	NCL/STP/INS/061 Issue No. : 01 Issue Date : 28 FEB : 2025	BLQ(LOQ-0.05)	NMT 250.0
12	Cadmium	mg/kg	NCL/STP/INS/061 Issue No. : 01 Issue Date : 28 FEB : 2025	BLQ(LOQ-0.05)	NMT 0.1
13	Mercury	mg/kg	NCL/STP/INS/061 Issue No. : 01 Issue Date : 28 FEB : 2025	BLQ(LOQ-0.05)	NMT 1.0
Naturally Occuring Toxic Substances (Nots)					
14	Saffrole	mg/kg	NCL/STP/INS/020 Issue No. : 01 Issue Date : 17 DEC : 2024	BLQ(LOQ-0.01)	Not Specified
Mycotoxins					
15	Total Aflatoxin (B1, B2, G1 and G2)	µg/kg	NCL/STP/INS/122 Issue No. : 01 Issue Date : 28 MAR : 2025	BLQ(LOQ-4.0)	NMT 30.0
16	Aflatoxin B1	µg/kg	NCL/STP/INS/122 Issue No. : 01 Issue Date : 28 MAR : 2025	BLQ(LOQ-1.0)	NMT 15.0
Other Contaminants					
17	Melamine	mg/kg	NCL/STP/INS/134 Issue No. : 01 Issue Date : 28 MAR : 2025	BLQ(LOQ-1.0)	NMT 2.5
Pesticide Residues					
18	1-Methylcyclopropene	mg/kg	NCL/STP/INS/031 Issue No. : 01	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
SR Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

NCL

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	ULR No. : TC1793726000000395F
M/S VIBGYOR SUNRISE INDIA PVT. LTD. Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149	Report No. : TR-26-NCL/023-180826/A Issue Date : 25/08/2026 Doc No. : NCL/QSP/QF/7.8/01 Page No.: 3 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
18			Issue Date : 26 MAR : 2025		
19	1-Naphthylacetic acid (NAA)	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.2
20	2,4-D	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
21	6-Benzyladenine	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
22	Abamectin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.05
23	Acephate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
24	Acetamiprid	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 2.0
25	Acifluorfen-sodium	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
26	Afidopyropen	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
27	Alachlor	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
28	Ametoctradin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
29	Ametryn	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
30	Amisulbrom	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	ULR No. : TC1793726000000395F
M/S VIBGYOR SUNRISE INDIA PVT. LTD.	Report No. : TR-26-NCL/023-180826/A
Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149	Issue Date : 25/08/2026
	Doc No. : NCL/QSP/QF/7.8/01
	Page No.: 4 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
31	Anilofos	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
32	Atrazine	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
33	Azimsulfuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
34	Azoxystrobin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.03
35	Benalaxyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
36	Benfuracarb	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
37	Bensulfuron-methyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
38	Bentazone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
39	Benzpyrimoxan	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
40	Bifenazate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
41	Bifenthrin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
42	Bispyribac-sodium	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
43	Bitertanol	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 5 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
44	Boscalid	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
45	Broflanilide	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
46	Bupirimate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
47	Buprofezin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 2.0
48	Butachlor	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
49	Captan	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
50	Carbaryl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 5.0
51	Carbendazim	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
52	Carbofuran	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
53	Carbosulfan	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 2.0
54	Carfentrazone-ethyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
55	Carpropamid	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
56	Cartap hydrochloride	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang,. Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 6 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
57	Chlorantraniliprole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.6
58	Chlorfenapyr	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.05
59	Chlorfluazuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
60	Chlorimuron-ethyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
61	Chlormequat chloride (CCC)	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
62	Chlorothalonil	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
63	Chlorpropham	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
64	Chlorpyrifos	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
65	Chromafenozide	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
66	Cinmethylin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
67	Clodinafop-propargyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
68	Clomazone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
69	Chlothianidin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES

Checked by

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO :	ULR No. : TC1793726000000395F
M/S VIBGYOR SUNRISE INDIA PVT. LTD.	Report No. : TR-26-NCL/023-180826/A
Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149	Issue Date : 25/08/2026
	Doc No. : NCL/QSP/QF/7.8/01
	Page No.: 7 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
70	Cyantraniliprole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.5
71	Cyazofamid	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
72	Cyclanilide	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
73	Cyclaniliprole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
74	Cyenopyrafen	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
75	Cyflufenamid	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
76	Cyflumetofen	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
77	Cyfluthrin/beta cyfluthrin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
78	Cyhalofop-butyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
79	Cyhalothrin (includes lambda- cyhalothrin)	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.05
80	Cymoxanil	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
81	Cypermethrin (including alpha- cypermethrin and zeta- cypermethrin)	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.05
82	Cyproconazole (sum of isomers)	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES

Checked by

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang,. Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 8 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
83	Deltamethrin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.05
84	Diafenthiuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.05
85	Dicamba	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
86	Dichlorvos	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
87	Diclofop	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 1.0
88	Diclosulam	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
89	Dicofol	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
90	Difenoconazole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
91	Diflubenzuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
92	Dimethenamid-P	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
93	Dimethoate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.5
94	Dimethomorph	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
95	Dinocap	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	ULR No. : TC1793726000000395F
M/S VIBGYOR SUNRISE INDIA PVT. LTD.	Report No. : TR-26-NCL/023-180826/A
Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149	Issue Date : 25/08/2026
	Doc No. : NCL/QSP/QF/7.8/01
	Page No.: 9 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
96	Dinotefuran	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
97	Dithianon	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
98	Dithiocarbamates (maneb, mancozeb, metiram, thiram and ziram)	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 10.0
99	Diuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
100	Dodine	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
101	Edifenphos	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
102	Emamectin benzoate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
103	Epoxiconazole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
104	Ethaboxam	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
105	Ethephon	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
106	Ethion	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
107	Ethoxysulfuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
108	Etofenprox	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

FOR NEWCON CONSULTANTS & LABORATORIES

Rajeev Kumar Singh
Sr. Analyst
Checked by

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 10 of 25

:

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
109	Etoxazole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
110	Famoxadone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
111	Fenamidone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
112	Fenarimol	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
113	Fenazaquin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 5.0
114	Fenobucarb (BPMC)	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
115	Fenoxanil	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
116	Fenoxaprop-p-ethyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
117	Fenpropathrin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
118	Fenpyroximate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 1.0
119	Fenvalerate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
120	Fipronil	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
121	Flonicamid	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	ULR No. : TC1793726000000395F
M/S VIBGYOR SUNRISE INDIA PVT. LTD.	Report No. : TR-26-NCL/023-180826/A
Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149	Issue Date : 25/08/2026
	Doc No. : NCL/QSP/QF/7.8/01
	Page No.: 11 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
122	Florasulam	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
123	Florpyrauxifen-benzyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
124	Fluazaindolizine	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
125	Fluazifop-p-butyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
126	Flubendiamide	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.02
127	Flucetosulfuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
128	Fluchloralin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
129	Fluensulfone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
130	Flufenacet	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
131	Flumioxazin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
132	Fluopicolide	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
133	Fluopyram	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
134	Flupyradifurone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajesh Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	ULR No. : TC1793726000000395F
M/S VIBGYOR SUNRISE INDIA PVT. LTD.	Report No. : TR-26-NCL/023-180826/A
Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149	Issue Date : 25/08/2026
	Doc No. : NCL/QSP/QF/7.8/01
	Page No.: 12 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
135	Flupyrimin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
136	Flurochloridone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
137	Fluroxypyr-meptyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
138	Flusilazole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
139	Fluthiacet-methyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
140	Fluvalinate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
141	Fluxametamide	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
142	Fluxapyroxad	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
143	Fomesafen	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
144	Forchlorfenuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
145	Fosetyl-Al	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.2
146	Glufosinate-Ammonium	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
147	Glyphosate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 13 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
148	Halauxifen-methyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
149	Halosulfuron-methyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
150	Haloxyfop-R methyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
151	Hexaconazole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.5
152	Hexazinone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
153	Hexythiazox	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
154	Hydrogen Cyanamide	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
155	Imazamox	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
156	Imazethapyr	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
157	Imidacloprid	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.3
158	Indaziflam	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
159	Indoxacarb	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
160	Iodosulfuron-methyl sodium	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 14 of 25

:

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
161	Iprobenfos (Kitazin)	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
162	Iprodione	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
163	Iprovalicarb	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
164	Isocycloseram	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
165	Isoprothiolane	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
166	Isoproturon	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
167	Kasugamycin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
168	Kresoxim-methyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.15
169	Linuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
170	Lufenuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.05
171	Malathion	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
172	Mandipropamid	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
173	Mefentrifluconazole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	ULR No. : TC1793726000000395F
M/S VIBGYOR SUNRISE INDIA PVT. LTD.	Report No. : TR-26-NCL/023-180826/A
Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149	Issue Date : 25/08/2026
	Doc No. : NCL/QSP/QF/7.8/01
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
174	Mepiquat chloride	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
175	Meptyldinocap	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
176	Mesosulfuron-methyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
177	Mesotrione	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
178	Metaflumizone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
179	Metalaxyl and Metalaxyl-M	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.02
180	Metamifop	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
181	Metamitron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
182	Methabenzthiazuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
183	Methomyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.05
184	Methoxyfenozide	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
185	Methyl Chlorophenoxy Acetic Acid (MCPA)	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
186	Metolachlor	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 16 of 25

:

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
187	Metrafenone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
188	Metribuzin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
189	Metsulfuron-methyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
190	Milbemectin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
191	Monocrotophos	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.2
192	Myclobutanil	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.2
193	Nitrobenzene	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
194	Novaluron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
195	Orthosulfamuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
196	Oxadiargyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
197	Oxadiazon	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
198	Oxathiapiprolin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
199	Oxydemeton-methyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 2.0

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	ULR No. : TC1793726000000395F
M/S VIBGYOR SUNRISE INDIA PVT. LTD.	Report No. : TR-26-NCL/023-180826/A
Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149	Issue Date : 25/08/2026
	Doc No. : NCL/QSP/QF/7.8/01
	Page No.: 17 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
200	Oxyfluorfen	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
201	Paclobutrazol	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
202	Paraquat	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
203	Parathion-methyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
204	Penconazole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
205	Pencycuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
206	Pendimethalin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.05
207	Penoxsulam	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
208	Permethrin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
209	Phenthoate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
210	Phorate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
211	Phosalone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
212	Phosmet	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Lab Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 18 of 25

:

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
213	Picoxystrobin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.05
214	Pinoxaden	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
215	Pirimiphos-methyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
216	Pretilachlor	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
217	Prochloraz	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
218	Profenofos	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
219	Prohexadione calcium	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
220	Propamocarb	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
221	Propanil	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
222	Propaquizafop	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
223	Propargite	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 2.0
224	Propiconazole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
225	Propineb	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 2.0

Rajeev Kumar Singh
Sr. Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 19 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
226	Pymetrozine	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
227	Pyraclostrobin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.02
228	Pyrazosulfuron-ethyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
229	Pyridaben	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
230	Pyridalyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.02
231	Pyrifluquinazon	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
232	Pyriftalid	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
233	Pyriproxyfen	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.02
234	Pyrithiobac-sodium	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
235	Pyroxasulfone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
236	Quinalphos	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.02
237	Quinclorac	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
238	Quizalofop-ethyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	ULR No. : TC1793726000000395F
M/S VIBGYOR SUNRISE INDIA PVT. LTD.	Report No. : TR-26-NCL/023-180826/A
Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149	Issue Date : 25/08/2026
	Doc No. : NCL/QSP/QF/7.8/01
	Page No.: 20 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
239	Quizalofop-P-tefuryl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
240	Saflufenacil	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
241	Sodium para nitro phenolate (Sodium 4-nitrophenolate)	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
242	Spinetoram	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.05
243	Spinosad	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
244	Spiromesifen	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.1
245	Spirotetramat	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 2.0
246	Sulfentrazone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
247	Sulfosulfuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
248	Sulfoxaflor	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
249	Tebuconazole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.4
250	Tembotrione	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
251	Tetraconazole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

FOR NEWCON CONSULTANTS & LABORATORIES

Rajeev Kumar Singh
Sr. Analyst
Checked by

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 21 of 25

:

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
252	Tetraniliprole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
253	Thiacloprid	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.2
254	Thiamethoxam	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
255	Thifluzamide	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
256	Thiocyclam hydrogen oxalate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
257	Thiodicarb	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
258	Thiometon	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
259	Thiophanate-methyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
260	Tolfenpyrad	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
261	Topramezone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
262	Triadimefon	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.4
263	Triafamone	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
264	Triallate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 22 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
265	Triasulfuron	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
266	Triazophos	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.2
267	Trichlorfon	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
268	Tricyclazole	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.3
269	Tridemorph	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.1
270	Trifloxystrobin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.4
271	Trifloxysulfuron-sodium	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
272	Triflumezopyrim	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
273	Trifluralin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
274	Validamycin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
275	Valifenalate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
276	Aldicarb	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
277	Aldrin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 23 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
278	dieldrin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
279	Chlordane-CIS	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
280	Chlordane-trans	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
281	Heptachlor	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
282	Heptachlor exo-epoxide	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
283	Heptachlor endo-epoxide	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
284	Lindane Gamma-HCH	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
285	Alpha- Endosulfan	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
286	Beta -Endosulfan	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
287	Endosulfan sulphate	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
288	Carbofuran	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
289	Methomyl	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
290	Phosphamidon	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES

Checked by

Authorized Signatory

NCL

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

A SUBSIDIARY OF
NEWCON GROUP

TC-17937

Scan to check Scope of Accreditation

Report Authentication

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 24 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
291	Captafol	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
292	Ferbam	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
293	Formothion	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
294	Simazine	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
295	Diazinon	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
296	2,4-DDT	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
297	4,4-DDT	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
298	2,4-DDE	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
299	4,4-DDE	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
300	2,4-DDD	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
301	4,4-DDD	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
302	Fenitrothion	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
303	Fenthion	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01

Rajeev Kumar Singh
Sr. Analyst

Checked by

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

newconlab@gmail.com
+91-9810430345
www.newconlab.com

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang,. Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**ULR No.** : TC1793726000000395F **Report No.** : TR-26-NCL/023-180826/A **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 25 of 25
:	

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
304	Methyl Parathion	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
305	Ethyl Parathion	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
306	Trifloxystrobin	mg/kg	NCL/STP/INS/031 Issue No. : 01 Issue Date : 26 MAR : 2025	BLQ(LOQ-0.01)	NMT 0.01
Discipline : Microbiological					
Microbiological Parameters					
307	Total Aerobic Count	cfu/g	IS 5402(Part-1):2021	42000	NMT 1x10000000
308	Yeast and Mold Count	cfu/g	IS 5403:1999	140	NMT 1x100000
309	Enterobacteriaceae	cfu/g	ISO 21528(Part-2):2017	<10	NMT 1000
310	Staphylococcus aureus (Coagulase +ve)	cfu/g	IS 5887(Part-8/Sec-1):2023	<10	NMT 1000
311	Salmonella	per 25g	IS 5887 (Part-3/Sec-1):2020	Absent	Absent
312	Sulphite Reducing Clostridia	cfu/g	ISO 15213(Part-1):2023	<10	NMT 1000
313	Bacillus cereus	cfu/g	IS 5887(Part-6):2012	<10	NMT 10000

Remarks/Note: BLQ- Below Limit of Quantification, LOQ-Limit of Quantification.
The test sample conforms to the requirements of FSSR, 2011 with respect to the above-tested parameters only.

NEWCON CONSULTANTS & LABORATORIES GHAZIABAD
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES
NEWCON CONSULTANTS & LABORATORIES GHAZIABAD
Authorized Signatory

End of Report

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

A SUBSIDIARY OF
NEWCON GROUP

newconlab@gmail.com
+91-9810430345
www.newconlab.com

Report Authentication

TEST REPORT

ISSUE TO	
M/S VIBGYOR SUNRISE INDIA PVT. LTD. **Near Surji Wedding Point, Motadhang, Padampur, Kotdwara, District - Pauri Garhwal, Uttarakhand, India - 246149**	**Report No.** : TR-26-NCL/023-180826/B **Issue Date** : 25/08/2026 **Doc No.** : NCL/QSP/QF/7.8/01 Page No.: 1 of 1
:	

SAMPLING DETAILS

Product Group	: Food & Agricultural Products		
Sample Name	: Dhaniya Powder		
Analysis Start Date	: 18/08/2026	Analysis End Date	: 24/08/2026
Date of Sampling	: 18/08/2026	Sample ID No.	: TR-26-NCL/023-180826
Sampling Done By	: Customer	Sample Receipt Date	: 18/08/2026
Sample Description	: Dhaniya Powder		
Sampling Location	: --		
Batch No.	: NA	Environmental Condition	: 27±2°C
Mfg. Date	: Not specified	Exp. Date	: Not specified
Sampling Protocol	: --	Sample Quantity	: 250g
Packing Condition	: Sealed	Packing	: Poly Pack

TEST RESULT

S.No.	Test Parameters	Unit	Test Method	Results	Specifications as per FSSR,2011
1	Energy	Kcal/100g	IS 8220:1976	418.59	Not Specified
2	Methyl Mercury (Calculated as the element)	mg/kg	NCL/STP/INS/061 Issue No. : 01 Issue Date : 28 FEB : 2025	BLQ(LOQ-0.05)	NMT 0.25
3	Agaric acid	mg/kg	NCL/STP/INS/264 Issue No. : 01 Issue Date : 28 MAR : 2025	BLQ(LOQ-1.0)	Not Specified
4	Hydrocyanic acid	mg/kg	NCL/STP/INS/264 Issue No. : 01 Issue Date : 28 MAR : 2025	BLQ(LOQ-1.0)	Not Specified
5	Hypericine	mg/kg	NCL/STP/INS/264 Issue No. : 01 Issue Date : 28 MAR : 2025	BLQ(LOQ-0.5)	Not Specified

Remarks/Note: BLQ- Below Limit of Quantification, LOQ-Limit of Quantification.
The test sample conforms to the requirements of FSSR, 2011 with respect to the above-tested parameters only.

Rajeev Kumar Singh
Sr. Analyst
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES
Authorized Signatory

End of Report

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.